

Rx Only
Dysport[®]
abobotulinumtoxinA
300 Units for Injection



**\$50 Sizzling
Summer Savings**

May 1–June 30, 2012

Dysport[®] Rebate Redemption Form

After you have received your *Dysport* treatment, complete the redemption form below and mail it to us with your itemized treatment receipt (credit card receipts are not accepted).

Mail to: *Dysport* Fulfillment Center
DEPT MA12-8302
P.O. Box 472
Scottsdale, AZ 85252-0472

Your submission must be postmarked by July 31, 2012. Certain restrictions apply. See offer terms and conditions in the adjacent column. Call **866-222-1480** for further information. To check the status of your rebate, please visit **www.Rapid-Rebates.com**.

Tell us about you. (All fields are required.)

Name		
Address		Apt. No.
City	State	ZIP
Email (Required)		
Treatment Date (Month/Day/Year)		
Signature		
<small>By signing above: I give Medicis Pharmaceutical Corporation ("Medicis") and its subsidiaries permission to use the information I have provided in this request form to communicate with me about its products, programs and services, and to conduct market research. Medicis may share information about me with its service providers, or as required by government authorities, law or legal process. Medicis also may share information with healthcare providers about participation in Medicis rebate programs or promotional offers. Medicis will not sell my name or information. To be removed from this list, I understand that I may call 800-328-9970.</small>		

Offer Terms and Conditions

This coupon program works by providing you a rebate check limited to \$50 for one treatment with *Dysport* (abobotulinumtoxinA). This offer is limited to patients over the age of 18 who are treated with *Dysport* for the temporary improvement in the look of moderate to severe frown lines between the eyebrows (glabellar lines). To participate in this offer, you must receive a *Dysport* treatment between May 1, 2012, and June 30, 2012. Within 30 days after your treatment, you must: (1) register for the offer (at www.DysportUSA.com or through submission of a rebate redemption form) and (2) mail your completed rebate redemption form (valid email address required to participate) with an itemized receipt for your treatment to the address found on the form. Credit card receipts will not be accepted. Your submission must be postmarked by July 31, 2012, and must be received by August 30, 2012. **Please allow 6-8 weeks for processing.** If you have any questions about this offer, please call toll-free **866-222-1480**. If you would like to check on the status of your rebate check, visit **www.rapid-rebates.com**.

You are eligible for this offer only if you paid for your entire treatment yourself and if no part of your treatment was covered by insurance or another third-party payor. This offer excludes any treatment that is reimbursed by Medicaid, Medicare, or other federal or state benefit programs, including state medical assistance programs. You are not eligible for this offer if your private insurance, HMO, or other health benefit program paid for all or part of your treatment. If any form of reimbursement is sought from a third-party, you may be required to disclose the value of this rebate to that party. This offer is available only to patients, excluding claims from Medicis employees and their spouses. This offer is non-transferable. Offer valid only in the U.S., excluding territories, and void where prohibited by law.

This offer is limited to one redemption per person and cannot be combined with any other Medicis offer or promotion. If you received a treatment as part of any other *Dysport* promotion, you may participate in this offer; however, you must wait at least 3 months between *Dysport* treatments. By submitting a rebate request, you agree to all terms and conditions of this offer and acknowledge that, in administering this offer, Medicis may track your treatment activity and use your personal information to send correspondence in connection with this offer. Medicis reserves the right to cancel or modify this offer without notice. All rebate requests become the property of Medicis and will not be returned. Medicis assumes no responsibility for lost, late, damaged, misdirected, misaddressed, incomplete or postage-due requests that fail to be properly delivered to the address stated on the rebate redemption form for any reason. Rebate checks will be issued in U.S. dollars only. Rebate checks and coupons are void if not cashed or used within 180 days.

Please see Important Safety Information including Boxed Warning on page 2 and Medication Guide on pages 3–4.

The *Dysport* trademark is used under license. All other trademarks are the property of their respective owners.
DSP 12-004B 07/31/12

Important Safety Information

What is the most important information you should know about *Dysport*?

Spread of Toxin Effects: In some cases, the effects of *Dysport* and all botulinum toxin products may affect areas of the body away from the injection site. These effects can cause symptoms of a serious condition called botulism. Symptoms of botulism can happen hours to weeks after injection and may include swallowing and breathing problems, loss of strength and muscle weakness all over the body, double vision, blurred vision and drooping eyelids, hoarseness or change or loss of voice, trouble saying words clearly, or loss of bladder control. Swallowing and breathing problems can be life threatening and there have been reports of death.

The risk of symptoms is probably greatest in children and adults treated for muscle spasms, particularly in those patients who have underlying medical conditions that could make these symptoms more likely.

The toxic effects have been reported at doses similar to those used to treat muscle spasms in the neck. Lower doses, in both approved and unapproved uses, have also caused toxic effects. This includes treatment of children and adults for muscle spasms.

These effects could make it unsafe for you to drive a car, operate machinery, or do other dangerous activities.

Do not have *Dysport* treatment if you: are allergic to *Dysport* or any of its ingredients (see the end of the Medication Guide for a list of ingredients), are allergic to cow's milk protein, had an allergic reaction to any other botulinum toxin product such as Myobloc® or Botox®, or have a skin infection at the planned injection site.

The dose of *Dysport* is not the same as the dose of any other botulinum toxin product. The dose of *Dysport* cannot be compared to the dose of any other botulinum toxin product you may have used.

***Dysport* may not be right for you if:** you have surgical changes to your face, very weak muscles in the treatment area, your face looks very different from side to side, the injection site is inflamed, you have droopy eyelids or sagging eyelid folds, deep facial scars, thick oily skin, or if your wrinkles can't be smoothed by spreading them apart.

Tell your doctor about all your medical conditions, including if you have: a disease that affects your muscles and nerves (such as amyotrophic lateral sclerosis [ALS or Lou Gehrig's disease], myasthenia gravis, or Lambert-Eaton syndrome), allergies to any botulinum toxin product or had any side effect from any botulinum toxin product in the

past, a breathing problem (such as asthma or emphysema), swallowing problems, bleeding problems, diabetes, a slow heart beat or other problem with your heart rate or rhythm, plans to have surgery, had surgery on your face, weakness of your forehead muscles (such as trouble raising your eyebrows), drooping eyelids, or any other change in the way your face normally looks. Patients with a disease that affects muscles and nerves who are treated with typical doses of *Dysport* may have a higher risk of serious side effects, including severe swallowing and breathing problems.

Human Albumin

This product contains albumin taken from human plasma. Steps taken during donor screening and product manufacturing processes make the risk of spreading viral diseases extremely rare. In theory, there is also an extremely rare risk of contracting Creutzfeldt-Jakob disease (CJD). No cases of spread of viral diseases or CJD have ever been reported for albumin.

Allergic Reaction to Injecting in the Skin

It is not known if an allergic reaction can be caused by injecting *Dysport* into the skin. The safety of treating excessive sweating with *Dysport* is not known.

Common Side Effects

The most common side effects are nose and throat irritation, headache, injection site pain, injection site skin reaction, upper respiratory tract infection, eyelid swelling, eyelid drooping, sinus inflammation, and nausea.

Tell your doctor about all the medicines you take, including prescription and nonprescription medicines, vitamins and herbal and other natural products. Using *Dysport* with certain other medicines may cause serious side effects. **Do not start any new medicines while taking *Dysport* without talking to your doctor first.**

Especially tell your doctor if you: have received any other botulinum toxin product in the last four months, have received injections of botulinum toxin, such as Myobloc® (rimabotulinumtoxinB) or Botox® (onabotulinumtoxinA) in the past (be sure your doctor knows exactly which product you received), have recently received an antibiotic by injection, take muscle relaxants, take an allergy or cold medicine, or take a sleep medicine.

Use In Specific Populations

Dysport should not be used in children or in women who are pregnant or breastfeeding.

Ask your doctor if *Dysport* is right for you.

See Medication Guide on pages 3–4 or visit www.DysportUSA.com.

Rx Only
Dysport®
abobotulinumtoxinA
300 Units for Injection

MEDICATION GUIDE
***Dysport*[®] (DIS-port)**
(abobotulinumtoxinA)
Injection

Read the Medication Guide that comes with *Dysport* before you start using it and each time *Dysport* is given to you. There may be new information. This information does not take the place of talking with your doctor about your medical condition or your treatment. You should share this information with your family members and caregivers.

What is the most important information I should know about *Dysport*?

***Dysport* may cause serious side effects that can be life threatening. Call your doctor or get medical help right away if you have any of these problems after treatment with *Dysport*:**

- **Problems swallowing, speaking, or breathing.** These problems can happen hours to weeks after an injection of *Dysport* usually because the muscles that you use to breathe and swallow can become weak after the injection. Death can happen as a complication if you have severe problems with swallowing or breathing after treatment with *Dysport*.
- People with certain breathing problems may need to use muscles in their neck to help them breathe. These patients may be at greater risk for serious breathing problems with *Dysport*.
- Swallowing problems may last for several weeks. People who can not swallow well may need a feeding tube to receive food and water. If swallowing problems are severe, food or liquids may go into your lungs. People who already have swallowing or breathing problems before receiving *Dysport* have the highest risk of getting these problems.
- **Spread of toxin effects.** In some cases, the effect of botulinum toxin may affect areas of the body away

from the injection site and cause symptoms of a serious condition called botulism. The symptoms of botulism include:

- loss of strength and muscle weakness all over the body
- double vision
- blurred vision and drooping eyelids
- hoarseness or change or loss of voice (dysphonia)
- trouble saying words clearly (dysarthria)
- loss of bladder control
- trouble breathing
- trouble swallowing

These symptoms can happen hours to weeks after you receive an injection of *Dysport*.

These problems could make it unsafe for you to drive a car or do other dangerous activities. See “What should I avoid while receiving *Dysport*?”.

What is *Dysport*?

Dysport is a prescription medicine that is injected into muscles and used:

- to treat the abnormal head position and neck pain that happens with cervical dystonia (CD) in adults
- to improve the look of moderate to severe frown lines between the eyebrows (glabellar lines) in adults younger than 65 years of age for a short period of time (temporary)

CD is caused by muscle spasms in the neck. These spasms cause abnormal position of the head and often neck pain. After *Dysport* is injected into muscles, those muscles are weakened for up to 12 to 16 weeks or longer. This may help lessen your symptoms.

Frown lines (wrinkles) happen because the muscles that control facial expression are used often (muscle tightening over and over). After *Dysport* is injected into the muscles that control facial expression, the medicine stops the tightening of these muscles for up to 4 months.

It is not known whether *Dysport* is safe or effective in children under 18 years of age.

It is not known whether *Dysport* is safe or effective for the treatment of other types of muscle spasms. It is not known whether *Dysport* is safe or effective for the treatment of other wrinkles.

Who should not take *Dysport*?

Do not take *Dysport* if you:

- are allergic to *Dysport* or any of the ingredients in *Dysport*. See the end of this Medication Guide for a list of ingredients in *Dysport*
- are allergic to cow’s milk protein
- had an allergic reaction to any other botulinum toxin product such as Myobloc^{®*} or Botox^{®*}
- have a skin infection at the planned injection site

What should I tell my doctor before taking *Dysport*?

Tell your doctor about all your medical conditions, including if you have:

- a disease that affects your muscles and nerves (such as amyotrophic lateral sclerosis [ALS or Lou Gehrig’s disease], myasthenia gravis or Lambert-Eaton syndrome). See “What is the most important information I should know about *Dysport*?”
- allergies to any botulinum toxin product
- had any side effect from any botulinum toxin product in the past
- a breathing problem, such as asthma or emphysema
- swallowing problems
- bleeding problems
- diabetes
- a slow heart beat or other problem with your heart rate or rhythm
- plans to have surgery
- had surgery on your face
- weakness of your forehead muscles (such as trouble raising your eyebrows)
- drooping eyelids
- any other change in the way your face normally looks

Tell your doctor if you:

- are pregnant or plan to become pregnant. It is not known if *Dysport* can harm your unborn baby
- are breast-feeding or planning to breast-feed. It is not known if *Dysport* passes into breast milk

Tell your doctor about all the medicines you take, including prescription and nonprescription medicines, vitamins and herbal and other natural products. Using *Dysport* with certain other medicines may cause serious side effects. **Do not start any new medicines while taking *Dysport* without talking to your doctor first.**

Especially tell your doctor if you:

- have received any other botulinum toxin product in the last four months
- have received injections of botulinum toxin, such as Myobloc® (Botulinum Toxin Type B)* or Botox® (Botulinum Toxin Type A)* in the past; be sure your doctor knows exactly which product you received
- have recently received an antibiotic by injection
- take muscle relaxants
- take an allergy or cold medicine
- take a sleep medicine

Ask your doctor if you are not sure if your medicine is one that is listed above.

Know the medicines you take. Keep a list of your medicines with you to show your doctor and pharmacist each time you get a new medicine.

How should I take *Dysport*?

- *Dysport* is an injection that your doctor will give you
- *Dysport* is injected into the affected muscles
- Your doctor may give you another dose of *Dysport* after 12 weeks or longer, if it is needed
- If you are being treated for CD, your doctor may change your dose of *Dysport*, until you and your doctor find the best dose for you

- The dose of *Dysport* is not the same as the dose of any other botulinum toxin product

What should I avoid while taking *Dysport*?

Dysport may cause loss of strength or general muscle weakness, blurred vision, or drooping eyelids within hours to weeks of taking *Dysport*.

If this happens, do not drive a car, operate machinery, or do other dangerous activities. See “What is the most important information I should know about *Dysport*?”

What are the possible side effects of *Dysport*?

***Dysport* can cause serious side effects. See “What is the most important information I should know about *Dysport*?”**

Other side effects of *Dysport* include:

- dry mouth
- injection site discomfort or pain
- tiredness
- headache
- neck pain
- muscle pain
- eye problems: double vision, blurred vision, decreased eyesight, problems with focusing the eyes (accommodation), drooping eyelids, swelling of the eyelids
- allergic reactions. Symptoms of an allergic reaction to *Dysport* may include: itching, rash, red itchy welts, wheezing, asthma symptoms, or dizziness or feeling faint. Tell your doctor or get medical help right away if you get wheezing or asthma symptoms, or if you get dizzy or faint

Tell your doctor if you have any side effect that bothers you or that does not go away. These are not all the possible side effects of *Dysport*. For more information, ask your doctor or pharmacist.

Call your doctor for medical advice about side effects. You may

report side effects to FDA at 1-800-FDA-1088.

General information about *Dysport*:

Medicines are sometimes prescribed for purposes other than those listed in a Medication Guide.

This Medication Guide summarizes the most important information about *Dysport*. If you would like more information, talk with your doctor. You can ask your doctor or pharmacist for information about *Dysport* that is written for healthcare professionals. For more information about *Dysport* call 877-397-7671 or go to www.Dysport.com or www.DysportUSA.com.

What are the ingredients in *Dysport*?

Active ingredient: (botulinum toxin Type A)

Inactive ingredients: human albumin, and lactose. *Dysport* may contain cow's milk protein.

Issued May 2009

This Medication Guide has been approved by the U.S. Food and Drug Administration.

Distributed by:

Tercica, Inc.

a subsidiary of the Ipsen Group
Brisbane, CA 94005

and

Medicis Aesthetics Inc.,
a wholly owned subsidiary of Medicis
Pharmaceutical Corporation
Scottsdale, AZ 85256

* All trademarks are the property of their respective owners